

Material. E3, 5, 6, and 7: hot dip galvanized steel
 C1, M2 and P1: aluminium alloy
 1, 2, 3 and 4: hot dip galvanized or stainless steel
 8: stainless steel


s.r.l. GORLA
 MORSETTERIE
 MILANO
 TECHNICAL OFFICE

COMPRESSION DEAD-END
 CLAMPS
 FOR AAC AND AAC CONDUCTORS

WITH 2 BOLTS

Rev.3 dated 15.11.16

DRG. N. AT02-2/X




Material. E, 5, 6 and 7: hot dip galvanized steel
 C2, M and P: aluminium alloy
 1, 2, 3 and 4: hot dip galvanized or stainless steel
 8: stainless steel

s.r.l. GORLA
 MORSETTERIE
 MILANO
 TECHNICAL OFFICE

COMPRESSION DEAD-END
 CLAMPS
 FOR AAC AND AAAC CONDUCTORS
 WITH 4 BOLTS

Rev. 4 del 15.11.16
 DRG. N. AT02-4/X

IN CASE OF REQUESTS OF DEAD-ENDS WITH
 CLEVIS ATTACHMENT ADD "F" LETTER TO
 THE END OF THE CODES




Material. E, 5, 6 and 7: hot dip galvanized steel
 C2, M and P: aluminium alloy
 1, 2, 3 and 4: hot dip galvanized or stainless steel
 8: stainless steel

IN CASE OF REQUESTS OF DEAD-ENDS WITH
 CLEVIS ATTACHMENT ADD "F" LETTER TO
 THE END OF THE CODES

s.r.l. GORLA
 MORSETTERIE
 MILANO
 TECHNICAL OFFICE

COMPRESSION DEAD-END
 CLAMPS
 FOR AAC AND AAC CONDUCTORS
 WITH 6 BOLTS

Page 1/2
 Rev 0 dated 06.04.16
 DIS. N. AT02-6/X



Material. E, 5, 6 and 7: hot dip galvanized steel
 C, M and P: aluminium alloy
 1, 2, 3 and 4: hot dip galvanized or stainless steel
 8: stainless steel

IN CASE OF REQUESTS OF DEAD-ENDS WITH
 CLEVIS ATTACHMENT ADD "F" LETTER TO
 THE END OF THE CODES

s.r.l. GORLA MORSETTERIE MILANO TECHNICAL OFFICE	COMPRESSION DEAD-END CLAMPS FOR AAC AND AAAC CONDUCTORS WITH LONGITUDINAL JUMPER	Rev.1 dated 14.03.19 DRG. N. AT02-AL/X
---	--	---

X	Ø COND.		A	B	C	E1	E2	F	G	N	CR [kN]
	D1	D2									
LS6450L2F	36,00	36,00	80	100	30	-	-	44,5	13,5	2	109

** = HTLS conductors